HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.





Visit Factory


360° VR panoramas we provide

http://www.yrftextile.com

Email: info@yrftextile.com

Product Show





CASAYA HONEYCOMI ILIHD




BLOCK DIRECT SUNLIGHT KEEP INDOOR TEMPERATURE

Summer draws a honograph buttani, Blocking dreet sunight, Hasp indoor constant temperaturs



SOFTLY FILTERS LIGHT HOME PRIVACY LIGHT CONTROL AND UV PROTECTION



Skylight Roof Honeycomb Blinds

Heat Insulation and Noise Reduction

Effectively blocking heat

Noise Reduction


Effective blocking the noise

Fully shade aluminum foil Effective shading and insulation

Daylight/Blackout Two Options

Blackout fabric inside is aluminum foil

More effective shading



More Details Highlight Quality

Thicken Track ▶

Thickness 3.3cm

Priority Aluminum Alloy track






◆ Priority System Accessories

High quality accessories Pull Smooth

Cordless Handel ▶





Multicolor Optional

The artist wells from the advances of grown advances require a consensual researching from place and processing or our experience of the conference of a conference of the conference of a consensual conference of the conference of



Measure & Installation

Measure & Installation Ways



How to Measure



Measure the size of the inside frame (Minimum size)

Customized size: Width(with handle): 30cm~130cm, Height: 20cm~150cm

Tips:

- Eensure the accuracy of the measuring tool. If the tape head has error, please measured from the 10cm.
- Notice that the splicing of the section of the sun room may form a small head (not a standard rectangle), so 2 edges should be measured and the taken minimum size.
- 3. Notice that the profile of the sun roof may be connected by the willow nail.
 If the outburst part of the willow nail is less than 2MM, it can be measured normally.
 In the case of 3-5MM, 1-2MM. should be reduced to the overall size.
- 4.The overall thickness of the hive canopy curtain is 33MM. If the profile depth is less than 33MM, the honeycomb curtain track may be partially prominent.

Installation Methods



01.Take out all the accessories 02.Pass the rope through the shaft 03.Two holes are on the same line 04.Fixed one screw,other 3 angles are also fixed like it



05.Test push and pull after fixed 06. Screw on both sides of the track 07. Installation Success

Fix the curtains in the frame

Take care to avoid the rope to be wear





Beige---Blackout






Camel---Blackout





Coffee---Blackout






Coffee---Blackout





Green---Blackout






Grey---Blackout






Grey---Blackout





Olive---Blackout





White---Blackout





Wine red---Blackout





Beige---Daylight





Blue---Daylight





Camel---Daylight





Coffee---Daylight





Grey---Daylight





Olive---Daylight





White---Daylight





Wine red--Daylight