

HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.



Visit Factory

360° VR panoramas we provide




2018-8-15

<http://www.yrftextile.com>

Email: info@yrftextile.com



 Lithium battery motor

Intelligent Electric Curtains

INTELLIGENT ELECTRIC HOMEYOGONE CURTAIN TO OPEN INTELLIGENT REMOTE CONTROL GATE

Enjoy the Intelligent Remote Life

Test Specification

(different use environments may cause a little error)

3.5mm Direct Connection Power Line

Detachable battery, Convenient to charge



External battery(detachable)



Built-in
charging port




15 channel
remote control



Running sound
about 30 decibels



Can Control
within 20 meters




Test Specification

(different use environments may cause a little error)

Charge once, run up and down about 600 times

Charge 6h, run 3 times/day, last for 200 days




UP



Down



Quality Life Begins with Intelligence





Office/ Meeting Room




Living room, bedroom




Suitable for all kinds of study, hotel


Two Different Shading Effects



× Blackout ×



× Daylight ×




Nonwoven Fabric

Imitating Honeycomb Structure

Heat Insulation and Noise Reduction

The honeycomb structure advantages of light, strong, smooth, corrosion resistance, and safety, the grey color processing, and long lifespan are the other world's ability and the combination of many beautiful window treatments.



More Details

More process to highlight quality



High Quality Top and Lower Rail

Excellent quality, beautiful shape

- Package Display -

PRODUCTS AND ACCESSORIES DISPLAY



Including: Motorized Blinds,lithium battery,installation parts,
remote, remote-control base, screws, charger, battery


Measure & Installation Ways

MEASUREMENT INSTALLATION METHOD




01. How to Measure

Please contact us to confirm your installation ways



Outside Mount



Inside Mount



Inside Open

Outside Mount Only



Outside Open


Inside Mount / Outside Mount



Side Open

Inside Mount/ Outside Mount

How to Measure



Customized Size:

Width Range 50~200cm
Max Height 300cm

Outside Mount:

Blinds width=window width+20cm
Blinds height=window height+20cm

Inside Mount:

Blinds width=window width-1cm
Blinds height=window height

Tips: window depth (D) at least 6cm

03. Installation Ways



01. Measure the distance and make on the wall




02. Drill on the wall, make sure two holes are in same level




03. Input the plastic screw into the holes



04. Fix the mounting hardware into the wall



05. Fixed one end of the slot



06. Press the white plastic part and then pull up the upper rail



07. Successful installation



Beige

white in backside

Blackout



Blue Grey white in backside

Blackout



Blue

white in backside

Blackout



Camel

white in backside


Blackout

Coffee

white in backside

Blackout





Grass green white in backside

Blackout



Grey

white in backside

Blackout



Olive green white in backside

Blackout



Milk White white in backside

Blackout



Light Yellow white in backside

Blackout



Beige


white in backside

Daylight



Light Blue white in backside

Daylight



Blue

white in backside


Daylight



Camel

white in backside


Daylight



Coffee

white in backside

Daylight



Light Grey white in backside

Daylight

YRF
YRFTEXTILE.COM



Light Green white in backside

Daylight



Olive green white in backside


Daylight



White

white in backside

Daylight



Wine Red white in backside

Daylight