HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.





Visit Factory

360° VR panoramas we provide

http://www.yrftextile.com

Email: info@yrftextile.com

Product Show

Gradient Color Zebra Blinds











Product Display

Curtain scare riggle and inforced later, and activities contine gradient gauge shad grade to clearly visible.





make you have a good comfortable sleep




Double-layer fabric Free to adjust the light

Curtain acree riggle and outer collision air and surehine corebree gradent gave shade grave on clearly violate

Double-layer fabric design, the wrong position to adjust the indoor light, refuse glare and ultraviolet light






Open (Part Shade)

Close (Full Shade)


Deatils Display


















Measure & Installation


Accessories


Packing parts -






- Measurement and Installation Method -


















Inside or Outside Mount

Inside or Outside Mount

02.

How to Measure .



Tips: window depth (D) at least 6cm

Customized Size:

Width Range 20~180cm

Max Height 180cm

Outside Mount:

Roller blinds width=window width+20cm

Roller Blinds height=window height+20cm

Inside Mount:


Roller blinds width=window width-1 cm

Roller Blinds height=window height



Please be note: Roller blinds width=Fabric width+3cm
The width of the curtain is include the brackets width

Installation Ways 03.





02. Drilling on the wall

03. Plug the expansion screw into holes 04. Fix the installation code

on the switch head



05. Fix the installation code on the wall



06. Fix inside end first and then lift the outside end to hold it



Hear a clicking sound, installation is successful



08. Installation Success



