




■ Blue ■



■ White ■



■ Grey ■



■ Coffee ■



■ Beige ■

# HOTEL SUPPLIES

YirouFang Textile Manufacture Co.,Ltd.



Visit Factory

360° VR panoramas we provide



---

<http://www.yrftextile.com>

Email: [info@yrftextile.com](mailto:info@yrftextile.com)

# Product Show




Shangri-la blind

## Shangri-la Roller Blinds

DESIGN OF FADING WINDOW SCREENING - BLIND

Design of fading window screening blind is  
made with the use of fading window screening blind  
Design of fading window screening blind is  
made with the use of fading window screening blind



Ventilation



See Through Outside



Sun Shade

• SOFT INTERIOR ENVIRONMENT •

## High-grade Soft Curtain

Free Adjust for Half Shade or Full Shade



## Living Room



## Bed Room




# Three-dimensional Structure Shading & Breathable

— THREE LAYERS OF SOLID STRUCTURE FREE DIMMING —

Double soft yarn layer plus fabric layer, Both light and breathable, Effectively weaken the light, Creating a warm environment

Environmentally friendly, low energy consumption, low carbon footprint, environmentally friendly, low energy consumption, low carbon footprint, environmentally friendly, low energy consumption, low carbon footprint.



# Free Adjust the Light

— THREE LAYERS OF SOLID STRUCTURE FREE DIMMING —

Double Layer Fabric, When Close for Full shade and Open for part shade

Three-layer fabric, when closed, provides 100% light blocking, when open, provides 50% light blocking, when partially open, provides 75% light blocking, when fully open, provides 100% light blocking.



▪ Close (Full Shade) ▪



▪ Open (Part Shade) ▪

## More Details Highlight Quality

—THREE LAYERS OF SOLID STRUCTURE FOR DIMMING—

THREE LAYERS OF SOLID STRUCTURE FOR DIMMING  
THREE LAYERS OF SOLID STRUCTURE FOR DIMMING  
THREE LAYERS OF SOLID STRUCTURE FOR DIMMING

- ▶ Heavy Duty Top Track
- ▶ Exquisite same color curtain box
- ▶ Thicken Aluminum alloy track



- ◀ POM Bead Rope
- ◀ Beautiful & Labor-saving system



Heavy Duty Bottom Rod ▶  
High-density steel bottom Rod  
Keep the curtains naturally drooping



Color Optional


THREE LAYERS OF SOLID PVC LENSES FOR DIMMING

These blinds are made of solid PVC, which is a strong, durable material that is resistant to fading and discoloration. They are also made of solid PVC, which is a strong, durable material that is resistant to fading and discoloration.

# Measure & Installation

## Accessories

Packing parts



### Accessories:

Installation Brackets x2

Plastic expansion plug x2

Iron galvanized x2

# Measurement

Measure install

## - Measurement and Installation Method -

METHOD OF MEASURING INSTALLATION

**01.** Outside mount / Inside mount

Please confirm the installation method before measurement



^ - Outside Mount -



^ - Inside Mount -



Inside Open

Outside Mount Only



Outside Open

Inside or Outside Mount




Side Open

Inside or Outside Mount

## 02.

## How to Measure ● ● ●



Tips: window depth (D) at least 6cm

— Customized Size:

Width Range 20~180cm

Max Height 180cm

— Outside Mount:

Roller blinds width=window width+20cm

Roller Blinds height=window height+20cm

— Inside Mount:


Roller blinds width=window width-1 cm

Roller Blinds height=window height



Please be note: Roller blinds width=Fabric width+3cm  
The width of the curtain is include the brackets width

### 03. Installation Ways



**01.** Measure the installation position, mark on the wall



**02.** Drilling on the wall



**03.** Plug the expansion screw into holes



**04.** Fix the installation code on the switch head



**05.** Fix the installation code on the wall



**06.** Fix inside end first and then lift the outside end to hold it




**07.** Hear a clicking sound, installation is successful




**08.** Installation Success

**Beige**



**YRF**  
YRFTEXTILE.COM

**Blue**





**YRF**  
YRFTEXTILE.COM

**Coffee**



Grey



**YRF**  
YRFTEXTILE.COM

**White**

